

Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau - Auckland 2241 - New Zealand

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Floor Polish

Product Code: GRF3

Product Use: A tough, scuff resistant coating for floors

New Zealand Supplier: Car Clean Products NZ Limited

Address: 33 Ha Crescent

Wiri

Auckland

Telephone: 09 250 0091 Fax Number: 09 250 0092

Emergency Telephone: 0800 POISON (0800 764 766)

Date of MSDS Preparation: July 2015

Section 2. Hazards Identification

Potential Health Effects



WARNING H302 Harmful if swallowed

H319 Causes serious eye irritation

Swallowed Harmful if swallowed

Eyes Moderately irritating

Skin Not expected to be an irritant

Inhalation Not expected to be an irritant

Section 3. Composition / Information on Ingredients

Ingredients	Proportion (% mass)	Cas No
Water	<40	7732-18-5
Polymer Liquid	>60	n/a

Section 4. First Aid Measures

Routes of Exposure:

Eye Flush with cold water for at least 15 minutes. Seek medical

attention if problems persists

Skin If skin contact causes irritation remove contaminated clothing and

wash thoroughly with soap and water

Ingestion Do not induce vomiting. Give nothing by mouth. If patient

continues to be distressed seek medical attention immediately

Inhalation Remove to fresh air. If breathing is difficult seek medical attention

immediately

Section 5. Fire Fighting Measures

Suitable Extinguishing media Water jet or spray. Dry chemical fire extinguishers.

Fire and Explosion hazards Not combustible

Fire Fighting Instructions Treat as for surrounding fire.

Hazchem 2Z

Section 6. Accidental Release Measures

Land Spill or Leaks Small spills or leaks can be collected for domestic rubbish

disposal. Large spills or leaks should be shovelled or pumped into clean containers for decontamination and

reuse.

Water Small spills and leaks should not pose any long term

effects to aquatic environment. Large spills should be advised to the nearest regional council pollution officer to

assist with containment.

Section 7. Handling and Storage

Handling Advice: No protective clothing required. Natural ventilation should

be adequate under normal use conditions. Spillages are

extremely slippery.

Storing Procedures: Store away from high temperatures and sunlight. Do not

store near to food or feedstuffs. Keep containers closed at

all times - check bulk amounts regularly for leaks.

Section 8 Exposure Controls / Personal Protection

Engineering Controls: Normal Industrial conditions should be adequate

Personal Protective Equipment: Not required

Section 9 Physical and Chemical Properties

Appearance Thick white liquid Odour: slight / detergent Odour threshold Data not available

pH: neutral

Melting/Freezing point Data not available Initial boiling point/range Data not available

Flash point N/A
Flammability N/A
Upper/Lower flammability limits N/A

Vapour pressure
Vapour density
Relative density
Data not available
Data not available
Data not available

Solubility in water, % mass: Dispersable

Partition coefficient Data not available

Auto-ignition temperature

Decomposition temperature

Kinematic viscosity

Particle characteristics

Data not available

Data not available

Data not available

Section 10. Stability and Reactivity

Chemical Stability Stable. Does not react or polymerise

N/A

Conditions to Avoid None

Incompatibility Strong oxidizing agents

Hazardous Decomposition

Products carbon monoxide in a fire

Section 11 Toxicological Information

Acute Oral Toxicity Low toxicity

Acute Dermal Toxicity LD50 guinea pig >2000 mg/pk Inhalation Not expected to be an irritant

Long term Effects None expected Toxicological Data Not available

Section 12. Ecotoxicological Information

Environmental Precautions:

Ecological Toxicity No environmental toxicity expected.

Environmental Fate:

Soil Biodegradable and not expected to persist

Water Biodegradable and not expected to persist

Environmental Exposure Limits EEL water Not set

Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

Section 14 Transport Information

Road, Rail, Marine and Air Transport

UN No Not applicable
Class-primary Not applicable
Packing Group Not applicable
Proper Shipping Name: Not applicable

Section 15 Regulatory Information

Classification 6.1D, 6.4A,

Group Standard Surface coatings and colourants (subsidiary hazard)

ERMA Approval No HSR002670



Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau - Auckland 2241 - New Zealand

FLOOR POLISH

PURPOSE: A two in one specially formulated sealer and polish containing acrylic polymers. Provides a hard high gloss, non slip finish to protect and enhance vinyl, timber and marble floors etc. Can be manually or machine applied.

DIRECTIONS: Ready to use. Sweep or vacuum floor thoroughly then wash with lightly dampened mop. Allow floor to dry. Apply 2-3 coats with a clean damp mop. Apply polish in areas 1 metre around (do not pour in floor). Let dry at least 30 minutes between coats. Allow final coat at least 60 minutes to dry.

WARNING:

Harmful if swallowed. May cause eye irritation.

KEEP OUT OF REACH OF CHLDREN.